

key word index problems of cryobiology, year 2011

α -1-inhibitor of proteases 22

a

activation energy 46

activity

antioxidant 291

of proteases 280

adhesion 58

adrenal

cells, primary culture of 58

fragments 58

adrenocorticotocytes 406

adult donor blood nucleated cells 385

aggregates, *multicellular* 395

allotransplantation 85

of thyroid gland 330

antiphospholipid syndrome 75

antioxidant(s) 173

activity 291

artery, *coronary, ligation of* 321

atherosclerosis 416

b

bacteria, *pathogenic and opportunistic* 179

behavior 22

blood

cord/adult donor, nucleated cells 385

cord 179, 429

brain microhemocirculation 117

c

cartilage tissue 421

calorimetry, *differential scanning* 314

cell(s)

SPEV 46

adrenal

cortex 406

primary culture 58

neural, of newborn rats 263, 395

nucleated, of cord/adult donor blood 385

suspension 314, 353

testes interstitium 273

thyroid gland, primary culture 68

cell and follicular fractions of thyroid gland 68

chorionic tissue 338

chlorophyll 173

coefficients of permeability 46

cold

exposures

rhythmic 10, 22, 117, 251

long-term 251

cold

hardiness 239, 364

shock 239

comparability of cryopreservation results 162

cooling

agent 421

rates 273, 353

cord blood

leucoconcentrate 179, 429

nucleated cells 385

serum 75

correction of metabolic impairments 96

cryobiological fluids 104

cryodestruction 321

"Cryocell-Haemocord", *preparation* 96

cryoinjury of knee joint 421

cryopreservation

efficiency of 162

of adrenal cell primary culture 58

of adrenal cortex cells 406

of chorionic tissue 338

of cord blood

nucleated cells 385

serum 75

of erythrocytes 52, 125

of HPMEC-ST1.6R 353

of human

keratinocytes 353

placenta extract 291

of mammal erythrocytes 52

of newborn rat neural cells 263, 395

of splenocytes 330

of thyroid gland primary culture 68

of testes interstitial cells 273

results

comparability 162

reproducibility 162

cryopreservatives, *combined* 125

cryopreserved cord blood leucoconcentrate 179, 429

cryoprotectant(s) 104, 147, 273, 353, 385

thermal

capacity 147

conductivity 301

diffusivity 301

cryoscopic osmometer 104

crystallization, *intra- and extracellular* 239

culture

of newborn rat neural cells 263, 395

primary

of adrenal cells 58

of thyroid gland 68

d

DMSO 353, 385
depression 22
destructive-dystrophic process 421
devitalization of vascular scaffolds 137
differential scanning calorimetry 314
dimethyl sulfoxide 52
donor-specific tolerance 330

e

efficiency of cryopreservation 162
embryos, *mammal* 162
empirical polynomial equations 147, 301
energy of activation 46
equation, *empirical polynomial* 147, 301
erythrocyte(s) 125, 314, 377
mammal 52
eutectics 314
evolution 364
extra- and intracellular crystallization 239
extract of human placenta 291, 314

f

follicular and cell fractions of thyroid gland 68
fluorescence 173
fluorescent dye 406
fractal dimension 117
free radical reactions 173
freeze-thawing of newborn rat neural cells 263
freeze
-*avoidance* 239
-*tolerance* 3, 239
fungi 3

g

gestation 75

h

H^+ ion flow 125
HPMEC-ST1.6R 353
hamsters 280
hemolymph osmolality 34
hemolysis 52
hypotonic 377
osmotic 125
histological analysis 429
human
human keratinocytes 353
placenta extract 291, 314
hypometabolism 280
hypotonic hemolysis 377
hypothermic storage of human placenta extract 291
hypothyroidism 85
hypoxia 96

i

ice-nucleating
potential 34
proteins 3, 34
immunocompetent organs 429
infection, maternal-fetal 338
inflammation, *peritoneal* 179
insects 364
intestine 429
intra- and extracellular crystallization 239
inversion 314
ischemia of brain

j

JC-1 406
j-aggregates 406
joint, *knee, cryoinjury of* 421

k

keratinocytes, human 353
kidneys 429
knee joint, *cryoinjury of* 421

l

leucoconcentrate of cord blood 179, 429
lichens 3
ligation of coronary artery 321
liver 429
parenchyma 85
long-term cold exposures 251
low temperature storage 291
lungs 429

m

Me_2SO 353, 385
macroglobulin, β -2-22
mammal
embryos 162
erythrocytes 52
maternal-fetal infection 338
meristems 173
metabolic impairments, *correction of* 96
microhemocirculation of brain 117
mitochondrial potential 406
morphological study 416
multicellular aggregates 395
myocardium 321, 416

n

necrosis 321
nitric oxide 104, 421
nucleated cells of cord/adult donor blood 385
nucleating, *ice-, proteins* 3, 34
neural cells of newborn rats 263, 395

o

opportunistic and pathogenic bacteria 179
 osmolality of hemolymph 34
 osmometer, cryoscopic 104
 osmotic
 behavior 377
 fragility 52
 hemolysis 125
 protection 377

p

PEO-150 385
 parenchyma of liver 85
 pathogenic and opportunistic bacteria 179
 permeability coefficients 46, 273
 peritoneal inflammation 179
 peritonitis, *acute purulent* 96, 179, 325
 peroxidation 173
 phase transitions 314
 placenta 416
 extract of 291,
 fractions 314
 plants 3
 potential, *mitochondrial* 406
 primary culture
 of adrenal cells 58
 of thyrocytes 68
 prostheses, *biological vascular* 137
 proteins, *ice-nucleating* 3, 34
 protease 22
 activity of 280
 α -1-inhibitor of 22
 pyoperitonitis 96, 179, 325

r

rapid eye movement sleep 10
 rate of cooling 273, 353
 rat 10, 22, 251, 280
 newborn, neural cells of 263, 395
 relaparotomy 179
 remodeling 321
 reproducibility of cryopreservation results 162
 rhythmic cold exposures 10, 22, 117, 251

s

SPEV cells 46
Saccharomyces cerevisiae 314
 scaffolds, *vascular* 137
 serum of cord blood 75
 sleep
 rapid eye movement 10, 251
 slow wave 10, 251
 slow wave sleep 10
 splenocytes 330
 storage, *low temperature* 291
 subculturing 68
 supercooling 104, 239
 temperature 34
 survival 395

t

thermal
 capacity of cryoprotectants 147
 conductivity of cryoprotectants 301
 diffusivity of cryoprotectants 301
 thermoregulation 10
 temperature, *supercooling* 34
 testes interstitium cells 273
 thyrocyte 68
 thyroid gland 68, 330
 cell and follicular fractions 68
 tolerance, donor-specific 330
 transplantation
 allo- 85
 of thyroid gland 330
 xeno- 85

u

Upis ceramboides 34

v

vascular
 biological prostheses 137
 scaffolds 137
 viability 58, 263, 395
 volumetry 46

x

xenotransplantation 85